

SECTION 1 – IDENTIFICATION

Product Name: Echo Z+ Recommended Use: Industrial Ultrasonic Couplant 0° to 200°F (-18° to 93°C) Restrictions on Use: For Industrial Use Only	Manufacturer / Distributor: Echo Ultrasonics® LLC 774 Marine Drive, Bellingham, WA 98225; 360-671-9121 Emergency: US: 1-800-255-3924 Outside US: +1-813-248-0585
---	---

SECTION 2 – HAZARDS

Hazard Status: Not hazardous by OSHA 2012 Criteria. Hazardous in case of eye contact (irritant) or ingestion, or inhalation.
Hazards: Slippery
Eye: May cause irritation.
Potential Health Hazards: **Skin:** Extended contact may cause irritation in sensitive individuals. The substance may be toxic if ingested

Label Elements according to OSHA HazCom 2012:



Contains the mineral Borax which if ingested (eaten) in significant quantity is toxic and may cause reproductive damage. Keep away from children and persons with dementia

SECTION 3 – COMPOSITION/INGREDIENTS

Chemical/ Common Name	CAS #	WT %	Hazard Limit
1,2,3 trihydroxypropane	56-81-5	60%	Not Applicable
Sodium Tetraborate:	1303-96-4	40%	Not Applicable
		No known impurities	

SECTION 4 – FIRST-AID MEASURES

	Symptoms/Effects	Treatment Recommendations
Eyes:	Slight irritation	Flush with water holding eyelids apart. Get medical attention if irritation or other symptoms occur.
Skin:	None expected	Wash with soap and water. Get medical attention if irritation develops or persists.
Ingestion:	Not Available	DO NOT induce vomiting unless directed to do so by medical personnel. Loosen tight clothing; get medical attention if symptoms appear.

SECTION 5 – FIRE-FIGHTING MEASURES

Flammability: May be combustible at high temperatures
Suitable Extinguishing Equipment: Use chemical foam. Avoid Water.
Specific Hazards from Combustion: During a fire, smoke may contain the original material in addition to combustion products, which may be irritating. Combustion products may include and are not limited to carbon monoxide and carbon dioxide.
Recommendations: Keep people away. Fight fire from a safe distance with adequate ventilation, or wear positive pressure self-contained breathing apparatus and protective clothing. Using water can cause frothing with increase of fire intensity.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Personal Precautions: Spills may be slippery. Prevent entry into spill area by unauthorized persons.
Emergency Procedures: Sprinkle inert, non-slip material onto spill if it cannot be cleaned up immediately by diluting with water and mop up.
Containment Procedures: Minimize entry of material into sewers and drainage systems. Absorb spill with inert material (earth, clay, commercial absorbent for oil) then place into container for disposal. Do not use combustible material (such as sawdust) as an absorbent.

SECTION 7 – HANDLING AND STORAGE

Precautions: Eye contact should be avoided as a general industrial practice. Gloves are not required, but may be desirable for repeated or long term contact. Wearing eye protection is recommended. Wash hands and contaminated skin after handling.
Recommendations: Store in original containers above 64°F and below 130°F.

SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

Permissible Exposure Limits: None established
Engineering Controls: When used indoors on a hot surface, control fumes with local exhaust ventilation.
Personal Protection: **Eyes:** Use safety glasses if there is a possibility for exposure.
Skin: Wear impervious gloves as needed.
Special Requirements: None



SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colorless
Odor: Mild characteristic
Molecular Weight: Unknown
Specific Gravity: 1.5 (Water = 1)
Vapor Density: Unknown
Melting point: N/A
Flash Point: 300° F (149°C) Closed Cup
Auto-Ignition Temperature: 650°F (343°C)
Solubility: Miscible in cold water, hot water and alcohol.
Viscosity: Varies

SECTION 10 – STABILITY AND REACTIVITY

Reactivity: Hygroscopic
Chemical Stability: Stable
Potential Hazards: No significant hazards expected.
Conditions to Avoid: Avoid contact with incompatible materials, excess heat and ignition
Incompatible Materials: Highly reactive with oxidizing agents
Hazardous Polymerization: Will not occur.

SECTION 11 – TOXICOLOGICAL INFORMATION

Likely Routes of Exposure: See section 2
Effects of Exposure: See section 2
Immediate: See section 2
Delayed, Chronic, Symptoms: May cause damage to eyes; hazardous in case of ingestion.
Low hazard of acute potential health effects for normal industrial handling or normal workplace conditions
Other Toxic effects on Humans: workplace conditions
Carcinogenicity: No Data

SECTION 12 – ECOLOGICAL INFORMATION

Ecotoxicity: No data
Biodegradation Products: No data
Soil to Groundwater Motility: No data
Other Adverse Effects: No data

SECTION 13 – DISPOSAL CONSIDERATIONS

General Information: Dispose in accordance with all federal, state, and local regulations.
Use clean, impervious container.
Disposal Containers, Methods: Landfill, incineration

SECTION 14 – TRANSPORT INFORMATION

UN Number: Not applicable
UN Proper Shipping Name: Not applicable
Transport Hazard Class: Not hazardous
Packing Group: Not applicable
Environmental Hazards: Not applicable
Bulk Transport Guidance: Not applicable
Special Precautions: Not restricted, not regulated, not hazardous & not dangerous to transport by air by IATA.

SECTION 15 – REGULATORY INFORMATION

HMIS (USA): Health Hazard: 1
Fire Hazard: 1
Reactivity: 0
Personal Protection: g
National Fire Protection Assoc. (USA): Health: 1
Flammability: 1
Reactivity: 0
Protective Equipment: Gloves. Lab coat. Vapor respirator when ventilation is inadequate. Safety glasses

SECTION 16 – OTHER INFORMATION

SDS Preparation Date: 28 September 2016
Last Revision: January 3, 2022
Changes from Last Revision: Annual Review
Other Information:

All information herein is provided in good faith and believed to be accurate and reliable. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ according to location. It is the buyer's/user's responsibility to ensure that this product is used in compliance with all federal, state, and local laws.